


## **Piese de schimb pt. echipamentul de pulverizare – OptiFlex B**

1	Bolt	1000 453
2	Roata cauciuc-Ø 200mm	260 592
3	Piulita-Ø26mm	1000 944
4	Roata mobila-Ø 50mm	260 606
5	Saiba distante	375 624
6	Tampon cauciuc-Ø20x25mm,M6/2a 43sh	246 000
7	Sorb (vezi lista corespunzatoare de piese de schimb )	
8	Placa	1000 513
9	Surub-M6x40mm	1002 953
10	Surub-M6x20mm	1002 992
11	Bara maner	1002 623
12	Unitate de comanda si control CG07(vezi manualul corespunzator)	
13	Suport furtun	1000 699
14	Piulita hexagonala-M6	244 430
	Cablu pt racordare placa vibratoare-M16/1/6.0-10.5mm(nu este ilustrat	265 780
17	Fisa-4pini,femela	206 466
18	Surub-M6x30mm	1002 952
19	Piulita –M50x1,5mm	260 584
19	Cablu pamantare -complet	301 140
20	Furtun pulbere –Ø8/6mm	103 756*
21	Motor vibrator-220-240V,50Hz	1001 748
	Motor vibrator-120 VAC	389 382
22	Injector-OptiFlow IG02-V (vezi manualul corespunzator)	
23	Suport pistol	1003 076
24	Set piese-MB02, constand din:	1002 015
	Racord injector PTFE	377 724
	Dispozitiv verificare injector	393 380
	Placa fluidizare-1/8”a	237 264
	Garnitura Ø16x2mm	231 517
	Siguranta –4 AT	262 897
	Siguranta –2 AT	221 872
	Siguranta –0.1 AT	229 520
	Colier- L=100x2.5mm	200 719
25	Surub-M10x20mm	260 584
26	Surub-M8x16mm	261 793
27	Instructiuni scurte pentru OptiStar CG07	1002 060
28	Tabel programe pentru Optistar CG07	1002 063
29	Filtru complet (vezi lista de piese de schimb corespunzatoare)	
30	Inel- A-25	237 094


\* Indicati lungimea

**Lista pieselor de schimb pt. echipamentul de pulverizare – OptiFlex B**



## Echipamentul de pulverizare OptiFlex B –sorb

1	Bucsa	1002 046
2	Garnitura ghidaj	1002 052
3	Piulita	1002 051
4	Sorb-Ø40x534mm,complet(inclusiv poz.5-9)	362 425
5	Niplu-1/8”I-1/8”a	200 930
6	Rama-Ø0.3mm	338 303
7	Cot-1/8”a-1/8”a	235 733
8	Racord NW5-1/8”i	200 859
9	Placa fluidizare-1/8”a	237 264
10	Manson-Ø4/8/1,5mm	265 276
11	Consola	1002 054
A	Racord aer de fluidizare-complet,inclusive poz.12,13,14	1002 041
12	Racord rapid-NW5,Ø6mm	200 840
13	Racord rapid cu piulita-M10x1mm,Ø6mm	201 308
14	Furtun-Ø6/4 negru	1001 973



## **OptiFlex B – unitate de filtrare**

Unitate de filtrare – completa, fara pozitia 14

1001 147

1	Corp separator-F14MD	1001 759
2	Racord T-1/4”i-1/4”a-1/4”i	262 064
3	Racord cot-1/4”-Ø8/3x1mm	1002 614
5	Placa fixare	1001 758
6	Rezervor condens cu supapa de golire	1001 761
7	Cartus filtrant-20µm	1001 762
8	Surub-M4x60mm	258 946
9	Manometru-1/4”ext.Ø,0-10bar	1001 764
10	Racord-NW 7.4-1/4”a	256 730
11	Dop-Ø8mm	238 023
12	Cot-1/4”i-1/4”a	222 674
13	Surub- M4x10mm	259 543
14	Racord rapid(pentru poz.10)-NW 7,8-Ø10mm	239 267

