


## Generator PGC 1 COMPONENTE ELECTRICE



Tablou complet


340 057

1. Mufa fixa cu garnitura	200 409
2. Piulita cu pamantare M6	200 433
3. Mufa 4 pini	205 249
4. Mufa 7 pini	200 093
5. Mufa 12 pini B1-B12	338 770
6. Mufa 12 pini A1-A12	338 761
7. Placa de circuit CB1	327 190

8.Potentiometru complet	349 585
8.1.Potentiometru	235 792
8.2.Piulita de blocare	235 881
8.3.Inel de oprire	349 518
8.4.Suport potentiometru	342 327
8.5.Inel „O” ø 6x1 mm	217 115
9.Saiba	200 271
10.Piulita de blocare M12x1	200 700
11.Buton de reglare	200 069
12.Transformator	235 555
13.Suport siguranta F1	200 131
Siguranta fuzibila 0.5AT/200-240 V	200 073#
Siguranta fuzibila 1AT/100-120 V	210 242#
13.1.Suport siguranta F2(fara conductor neutru)	200 131
14.Ansamblu lampa	235 946
15.Ansamblu contact	235 938
16.Montura adaptor	235 920
17.Bec 24V/2W	235 954#
18.Comutator	235 911
19.Cablu principal cu o conexiune	303 607
20.Cablu principal cu doua conexiuni	343 607
23.Piulita de blocare PG7	230 537
24.Cablu de trecere PG7	235 989
25.Placa capac	340 022
26.Racord rapid	210 625
27.Garnitura 9x6 mm	100 269#
28.Capac –mufa	206 474
29.Garnitura	336 300

#componente de uzura

## COMPONENTE PNEUMATICE



A Ansamblu intrare aer-complet	336 610
1.Cuplaj rapid $\varnothing 8/6$ mm	203 181
3.Cuplaj pentru furtun O8/6mm	201 316
4.Racord O8/6mm	241 792
5.Cuplaj rapid $\varnothing 6/4$ mm	200 840
6.Conector rapid	241 784
7.Ventil de reducere a presiunii	235 830
8.Electroventil (24VAC-3/8")	235 865
8.1.Bobina electroventilului	243 930
9.Ventil de reducere a presiunii	235 822
10.Buton de reglare	200 069
11.Piulita de fixare M14x1	302 163

12.Manometru(0-4bar)	235 814
13.Supapa de reglare	238 244
14.Debitmetru pentru aerul suplimentar (2-8m <sup>3</sup> /h)	347 280
15.Debitmetru pentru aerul de spalare(0.5-3.5m <sup>3</sup> /h)	347 299
16.Furtun (negru) Ø8/6mm	103 756*
17.Furtun (rosu) Ø8/6mm	103 500*
18.Furtun (negru) Ø8/6mm	103 756*
19.Furtun transparent Ø6/4mm(manual)	100 854*
20.Cupla rapida Ø8mm	242 373
21.Niplu (1/4''-3/8'')	233 239
22.Racord cu cot (3/8''-3/8'')	223 158
23.Racord Y 3/8''-Ø8mm	235 873
24.Furtun (negru) Ø 6/4mm	103 144*
25.Racord T Ø6mm	237 310
26.Cupla rapida 1/8''-Ø6mm	233 412
27.Cupla rapida 1/8''-Ø6mm	240 087
28.Cupla rapida 1/8''-Ø8mm	240 095
29.Cablu bobina	336 602

\* a se specifica lungimea